




VISCO JET® agitator systems

AGITATE SLOWLY – WITH FAST RESULTS

For successful agitation, it's the technique that matters, not the speed. VISCO JET® agitators prove this in no uncertain terms. Their particular strength lies in the special geometry of the conical mixing elements: with its cleverly-designed spatial and angular relationships, the agitator ensures an optimum mixing process in a very short time, even at the lowest circumferential speeds.


VISCO JET® agitator technology sets standards and proves itself in a very wide range of industries around the world. It is flexible, reduces costs and guarantees high-quality results.



VJ500

Tank agitator for installation from above


- For fixed, stationary storage or production tanks
- Volume from 10 litres to 1.5 million litres
- For installation from above
- Can be used with any container shape and base
- Different VISCO JET® mixing elements for low, medium and high-viscosity media
- Customised to suit your specific requirements
- Various drives available
- Available as ATEX version 😥
- Sealing: from simple sealing ring to mechanical seal



VJ510

Tank agitator for horizontal tanks

- Tank agitator for fixed or movable horizontal storage or production tanks (on a truck or train)
- Different VISCO JET® mixing elements for low, medium and high-viscosity media
- Customised to suit your specific requirements
- Various drives available
- Available as ATEX version 😥
- Sealing: from simple sealing ring to mechanical seal



VJ520

Tank agitator for stainless steel containers


- Agitator for stainless steel transport containers with covers
- Agitator firmly bolted to the cover
- Different VISCO JET® mixing elements for low, medium and high-viscosity media
- Customised to suit your specific requirements
- Various drives available
- Available as ATEX version 😥
- Lifting bracket for easy hoisting with lifting gear





Your special requirements are our standard!

Tell us what you need: Phone +49 7741 96567 0 | info@viscojet.com




VJ600

Tank agitator for installation from below

- Tank agitator for fixed, stationary storage or production tanks
- Volume from 10 litres to 1.5 million litres
- For installation from below, including sealing
- Can be used with any container shape and base
- Different VISCO JET® mixing elements for low, medium and high-viscosity media
- Customised to suit your specific requirements
- Various drives available
- Available as ATEX version 😥






VJ610

Sub-level agitator with magnetic technology

- Tank agitator for fixed, stationary storage or production tanks
- Leak-free power transmission, drive technology with no product contact
- Volume-independent
- Can be used with any container shape and base
- Different VISCO JET® mixing elements for low, medium and high-viscosity media
- Customised to suit your specific requirements
- Various drives available
- Available as ATEX version 😥



VISCO JET® agitator systems



CAUSE...

Accelerated laminar flows and the reverse turbulence created by dynamic pressure interact at the cone entrance as the agitator rotates, generating the high-momentum mixing movements so typical of VISCO JET® technology.



...AND EFFECT

Extremely material-friendly and highly efficient agitator processes with very little energy expenditure are now possible. This applies particularly to tanks with very high volumes.





Everywhere you need us

VISCO JET® operating worldwide

ViscoTec, Inc.

Mail to: 932 W Mission Ave

Visalia, CA 93278

Delivery: 345 E Tulare Ave, Unit E

Visalia, CA 93277

Contact for the USA:



Phone: +1 (559) 802 - 3664
Fax: +1 (559) 429 - 4228
Email: info@viscotec.com
URL: www.viscojet.us



VISCO JET® Rührsysteme GmbH

Daimlerstraße 1 79761 Waldshut-Tiengen Deutschland

Telefon +49 7741 965670 Telefax +49 7741 9656715

www.viscojet.com info@viscojet.com



VISCO JET® weltweit

Alle Ansprechpartner vor Ort finden Sie unter www.viscojet.com/kontakt

