


SPARE PARTS

Visco**Twin**

VT104

G8 NG




 **PROCESSTEC**
GET TOMORROW'S TECHNOLOGY TODAY

processtec.com
info@processtec.com


9938 W Legacy Ave
Visalia, CA 93291
Phone +1 (559) 429 - 4227
Fax +1 (559) 429 - 4228

1. OVERVIEW DRAWING	3
2. EXPLOSION DRAWING	4
3. TORQUE VALUES.	5
4. SPARE PARTS.	6
4.1 Pump Housing.	6
4.2 Seal Housing	14
4.3 Bearing Housing	26
4.4 Gear Housing.	37
4.5 Drive Train.	49

1. OVERVIEW DRAWING




2. EXPLOSION DRAWING





4. SPARE PARTS


4.1 Pump Housing


VT104 G8 NG	Spindle Bolt	POS. 2180
PART #	23113	
CUSTOMER REFERENCE #		
MATERIAL	2205	
SPECS	Hex Style	
NOTES	--	

VT104 G8 NG	O-Ring for Pump Face	POS. 2192
PART #	12505	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	155 x 4mm	
NOTES	--	


VT104 G8 NG	O-Ring for Pump Face	POS. 2192
PART #	12511	
CUSTOMER REFERENCE #		
MATERIAL	EPDM	
SPECS	155 x 4mm	
NOTES	--	

VT104 G8 NG	O-Ring for Spindle Bolt	POS. 2194
PART #	12504	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	42 x 3mm	
NOTES	--	

VT104 G8 NG	O-Ring for Spindle Bolt	POS. 2194
PART #	12510	
CUSTOMER REFERENCE #		
MATERIAL	EPDM	
SPECS	42 x 3mm	
NOTES	--	

VT104 G8 NG	Dowel Pin for Pump Face & Housing	POS. 2195, 2196
PART #	12616	
CUSTOMER REFERENCE #		
MATERIAL	303	
SPECS	DIN7 - 8 h 8 x 20mm, undersize	
NOTES	--	

VT104 G8 NG	Spindle Pair VT104.27	POS. 2202
PART #	12639	
CUSTOMER REFERENCE #		
MATERIAL	316L	
SPECS	27mm, hardened	
NOTES		

VT104 G8 NG	Spindle Pair VT104.36	POS. 2202
PART #	18489	
CUSTOMER REFERENCE #		
MATERIAL	316L	
SPECS	36mm, hardened	
NOTES		


VT104 G8 NG	Spindle Pair VT104.53	POS. 2202
PART #	17516	
CUSTOMER REFERENCE #		
MATERIAL	316L	
SPECS	53mm, hardened	
NOTES		


VT104 G8 NG	Hex Head Cap Screw for Pump Face	POS. 2527
PART #	21762	
CUSTOMER REFERENCE #		
MATERIAL	A270	
SPECS	ISO4017 - M16 x 40mm	
NOTES	--	


VT104 G8 NG	Pump Face NPSH Optimized OD3"	POS. 2528
PART #	22028	
CUSTOMER REFERENCE #		
MATERIAL	316	
SPECS	PF:OD3", Tri-Clamp	
NOTES	--	

VT104 G8 NG	Pump Face NPSH Optimized OD4"	POS. 2528
PART #	22267	
CUSTOMER REFERENCE #		
MATERIAL	316	
SPECS	PF:OD4", Tri-Clamp	
NOTES	--	


VT104 G8 NG	Pump Housing OD3"	POS. 2530
PART #	23857	
CUSTOMER REFERENCE #		
MATERIAL	Fine Cast 1.4409	
SPECS	PCP:OD3", Tri-Clamp	
NOTES	--	


VT104 G8 NG	Aseptoflex Plug for Sensor Port	POS. 3050
PART #	22252	
CUSTOMER REFERENCE #		
MATERIAL	316L	
SPECS	--	
NOTES	--	


VT104 G8 NG	Gasket for Aseptoflex Plug (green)	POS. 3050 a
PART #	22948	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	ID: 29.7mm x OD: 35.7mm	
NOTES	--	

VT104 G8 NG	O-Ring for Aseptoflex Plug	POS. 3050 b
PART #	22253	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	O-ring: 24 x 2mm (FKM), in contact with the medium	
NOTES	--	

4.2 Seal Housing


VT104 G8 NG	O-Ring Seal Housing	POS. 1088
PART #	12503	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	142 x 6.2mm	
NOTES	--	


VT104 G8 NG	O-Ring Seal Housing	POS. 1088
PART #	12512	
CUSTOMER REFERENCE #		
MATERIAL	EPDM	
SPECS	142 x 6.2mm	
NOTES	--	


VT104 G8 NG	Elastomer Kit DAMS	POS. 2535 EK
PART #	21723	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	HUHNSEAL, SD: 42mm	
NOTES	--	

VT104 G8 NG	Elastomer Kit DAMS	POS. 2535 EK
PART #	22063	
CUSTOMER REFERENCE #		
MATERIAL	EPDM	
SPECS	HUHNSEAL, SD: 42mm	
NOTES	--	


VT104 G8 NG	Mechanical Seal DAMS	POS. 2535
PART #	21692	
CUSTOMER REFERENCE #		
MATERIAL	AE:316Ti/AE:TuC/NPS:C, NPS:E/AE:FKM	
SPECS	HUHNSEAL, SD: 42mm	
NOTES	--	


VT104 G8 NG	Male Connector Straight G3/8 - T1/4	POS. 1863
PART #	21690	
CUSTOMER REFERENCE #		
MATERIAL	316	
SPECS	G-3/8" x 1/4" Tubing	
NOTES	--	


VT104 G8 NG	Male Connector Straight G3/8 - T3/8	POS. 1864
PART #	21689	
CUSTOMER REFERENCE #		
MATERIAL	316	
SPECS	G-3/8" x 3/8" Tubing	
NOTES	--	


VT104 G8 NG	Seal Housing	POS. 2188
PART #	21824	
CUSTOMER REFERENCE #		
MATERIAL	316L	
SPECS	--	
NOTES	--	


VT104 G8 NG	Hex Socket Screw for Seal Housing	POS. 2259
PART #	19366	
CUSTOMER REFERENCE #		
MATERIAL	A2-70	
SPECS	DIN912 - M6 x 20mm	
NOTES	--	


VT104 G8 NG	Fixing Hex Bolt with Pilot for Mechanical Seal	POS. 2533
PART #	22068	
CUSTOMER REFERENCE #		
MATERIAL	304	
SPECS	Fixing screw	
NOTES	--	


VT104 G8 NG	Dowel Pin Seal Cartridge Retainer	POS. 2538
PART #	22069	
CUSTOMER REFERENCE #		
MATERIAL	303	
SPECS	3 h 8 x 12mm	
NOTES	--	


VT104 G8 NG	Washer for Seal Housing Bolt	POS. 2539
PART #	19082	
CUSTOMER REFERENCE #		
MATERIAL	SS	
SPECS	DIN9021 - A 4,3mm	
NOTES	--	


VT104 G8 NG	Hex Bolt for Seal Housing	POS. 2540
PART #	22263	
CUSTOMER REFERENCE #		
MATERIAL	304	
SPECS	ISO4017 - M4 x 8mm	
NOTES	--	


VT104 G8 NG	Safety Guard Right	POS. 2546
PART #	21826	
CUSTOMER REFERENCE #		
MATERIAL	SS	
SPECS	GRD, right	
NOTES	--	


VT104 G8 NG	Safety Guard Left	POS. 2547
PART #	21827	
CUSTOMER REFERENCE #		
MATERIAL	SS	
SPECS	GRD, left	
NOTES	--	


VT104 G8 NG	Hex Bolt for Protection Shield	POS. 2532
PART #	18792	
CUSTOMER REFERENCE #		
MATERIAL	SS	
SPECS	ISO4017 - M4 x 10mm	
NOTES	--	


VT104 G8 NG	SS-1 Needle Valve	POS. 3010
PART #	10745	
CUSTOMER REFERENCE #		
MATERIAL	H1:316, H1:PFA	
SPECS	H1:1/4"	
NOTES	--	


VT104 G8 NG	Supply Pipe Seal Water	POS. 3011
PART #	22014	
CUSTOMER REFERENCE #		
MATERIAL	304	
SPECS	T:OD1/4"	
NOTES	Top Inlet Tube	

VT104 G8 NG	Link Pipe Seal Water	POS. 3012
PART #	22015	
CUSTOMER REFERENCE #		
MATERIAL	316	
SPECS	T:OD3/8"	
NOTES	Bottom Loop Tube	


VT104 G8 NG	Discharge Pipe Seal Water	POS. 3013
PART #	22017	
CUSTOMER REFERENCE #		
MATERIAL	316	
SPECS	T:OD3/8"	
NOTES	Top Outlet Tube	

VT104 G8 NG	SM4100 IFM Flow Meter	POS. 3008
PART #	21460	
CUSTOMER REFERENCE #		
MATERIAL	316	
SPECS	AC:1/4" BSP	
NOTES	Magnetic-Inductive Flow Meter, Connection Type: G Thread Male	


VT104 G8 NG	EVC005 Cordset M12 Angle Female	POS. 3014
PART #	11074	
CUSTOMER REFERENCE #		
MATERIAL	FKM Cable	
SPECS	--	
NOTES	--	

VT104 G8 NG	6213 Burkert Solenoid Shutoff Valve	POS. 3006
PART #	21951	
CUSTOMER REFERENCE #		
MATERIAL	316L	
SPECS	H1:1/4" NPT/VS:10mm	
NOTES	Buerkert Solenoid Valve	

4.3 Bearing Housing

VT104 G8 NG	Key for Coupling	POS. 1183
PART #	12618	
CUSTOMER REFERENCE #		
MATERIAL	316	
SPECS	DIN6885 - 8 x 7 x 32mm, with M3 thread	
NOTES	--	

VT104 G8 NG	Shaft Sealing Ring Bearing Housing	POS. 2322
PART #	21763	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	DIN3760 - AS - 50 x 72 x 8mm	
NOTES	--	

VT104 G8 NG	Dowel Pin for Seal Housing	POS. 2536
PART #	21903	
CUSTOMER REFERENCE #		
MATERIAL	303	
SPECS	DIN7 - 8 h 8 x 24mm, undersize	
NOTES	--	

VT104 G8 NG	Drive Shaft	POS. 1000
PART #	21979	
CUSTOMER REFERENCE #		
MATERIAL	316	
SPECS	Replaceable sleeves	
NOTES	--	

VT104 G8 NG	Shaft Protection Sleeve Gear Housing	POS. 2675
PART #	23400	
CUSTOMER REFERENCE #		
MATERIAL	SS	
SPECS	Hard Inox S treated	
NOTES	--	


VT104 G8 NG	O-Ring for Shaft Protection Sleeve Gear Housing	POS. 2676
PART #	23399	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	DIN3771 - 25,12 x 1,78mm	
NOTES	--	


VT104 G8 NG	Shaft Protection Sleeve Bearing Housing	POS. 2677
PART #	23397	
CUSTOMER REFERENCE #		
MATERIAL	SS	
SPECS	Hard Inox S treated	
NOTES	--	

VT104 G8 NG	O-Ring for Shaft Protection Sleeve Bearing Housing	POS. 2678
PART #	23398	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	DIN3771 - 25,12 x 1,78mm	
NOTES	--	

VT104 G8 NG	Driven Shaft	POS. 2171
PART #	21981	
CUSTOMER REFERENCE #		
MATERIAL	316	
SPECS	Replaceable sleeves	
NOTES	--	


VT104 G8 NG	Bearing Housing	POS. 1001
PART #	22033	
CUSTOMER REFERENCE #		
MATERIAL	SS	
SPECS	Stainless steel cast	
NOTES	--	


VT104 G8 NG	Needle Roller Bearing	POS. 1003
PART #	23503	
CUSTOMER REFERENCE #		
MATERIAL	--	
SPECS	--	
NOTES	--	

VT104 G8 NG	Lock Snap Ring	POS. 1009 a, b
PART #	19316	
CUSTOMER REFERENCE #		
MATERIAL	1.0503	
SPECS	Spring steel	
NOTES	--	

VT104 G8 NG	Hex Head Cap Screw for Pump Housing	POS. 1016
PART #	23854	
CUSTOMER REFERENCE #		
MATERIAL	A2-70	
SPECS	ISO4017 - M16 x 55mm, Wrench 24mm	
NOTES	--	

VT104 G8 NG	Hex Head Cap Screw for Gear Housing	POS. 2258
PART #	22418	
CUSTOMER REFERENCE #		
MATERIAL	A2-70	
SPECS	ISO4017 - M16 x 55mm, Wrench 24mm	
NOTES	--	


VT104 G8 NG	Outer Spacer Ring for Ball Bearing	POS. 1121
PART #	12539	
CUSTOMER REFERENCE #		
MATERIAL	SS	
SPECS	outside	
NOTES	--	

VT104 G8 NG	Inner Spacer Ring for Ball Bearing	POS. 1530
PART #	12540	
CUSTOMER REFERENCE #		
MATERIAL	SS	
SPECS	inside	
NOTES	--	

VT104 G8 NG	Spacer Sleeve for Bearings	POS. 1529
PART #	22070	
CUSTOMER REFERENCE #		
MATERIAL	SS	
SPECS	--	
NOTES	--	


VT104 G8 NG	Angular Ball Bearing	POS. 2181
PART #	21963	
CUSTOMER REFERENCE #		
MATERIAL	--	
SPECS	--	
NOTES	--	

VT104 G8 NG	Key for Gear Wheel	POS. 2179
PART #	22256	
CUSTOMER REFERENCE #		
MATERIAL	304	
SPECS	DIN6885 - AS -10 x 8 x 32mm	
NOTES	--	


VT104 G8 NG	Venting Valve	POS. 2232
PART #	18757	
CUSTOMER REFERENCE #		
MATERIAL	304	
SPECS	1/4"	
NOTES	--	


VT104 G8 NG	Dowel Pin for Shaft	POS. 2541
PART #	22258	
CUSTOMER REFERENCE #		
MATERIAL	303	
SPECS	--	
NOTES	--	


4.4 Gear Housing


VT104 G8 NG	Shaft Sealing Ring Gear Housing	POS. 1010
PART #	21905	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	SD:45mm	
NOTES	--	

VT104 G8 NG	Magnetic Screw Plug	POS. 2233
PART #	21767	
CUSTOMER REFERENCE #		
MATERIAL	Aluminium	
SPECS	3/4"	
NOTES	--	


VT104 G8 NG	Gasket for Magnetic Screw Plug	POS. 2233 a
PART #	23114	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	Gasket for Magnetic Screw Plug	
NOTES	In set of 5 only	

VT104 G8 NG	Oil Level Sight Gauge	POS. 2360
PART #	21766	
CUSTOMER REFERENCE #		
MATERIAL	--	
SPECS	G3/4"	
NOTES	--	

VT104 G8 NG	Gasket for Oil Level Sight Gauge	POS. 2360 a
PART #	23665	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	Gasket for Oil Level Sight Gauge	
NOTES	In set of 5 only	


VT104 G8 NG	O-Ring Large for Gear Housing	POS. 2513
PART #	21764	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	237 x 4mm	
NOTES	--	


VT104 G8 NG	O-Ring Small for Gear Housing	POS. 2514
PART #	21765	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	DIN3771 - 18,5 x 2mm	
NOTES	--	


VT104 G8 NG	Gear Oil Bearing Housing VT	POS. 2170
PART #	21871	
CUSTOMER REFERENCE #		
MATERIAL	--	
SPECS	1 L, foodgrade	
NOTES	--	


VT104 G8 NG	Hex Socket Screw for Bearing Cover	POS. 1008
PART #	19341	
CUSTOMER REFERENCE #		
MATERIAL	Steel 10.9	
SPECS	DIN6912 - M8x25mm, B=22mm, Low profile socket head	
NOTES	--	

VT104 G8 NG	Bearing Cover	POS. 1227
PART #	19096	
CUSTOMER REFERENCE #		
MATERIAL	C45	
SPECS	--	
NOTES	--	

VT104 G8 NG	Gear Wheel Nut for Drive Shaft	POS. 1526
PART #	19320	
CUSTOMER REFERENCE #		
MATERIAL	SS	
SPECS	--	
NOTES	--	

VT104 G8 NG	Gear Housing Right	POS. 2172
PART #	22031	
CUSTOMER REFERENCE #		
MATERIAL	SS	
SPECS	Housing with gapping port	
NOTES	--	

VT104 G8 NG	Gapping Port Plug	POS. 3100
PART #	23557	
CUSTOMER REFERENCE #		
MATERIAL	304	
SPECS	40mm	
NOTES	--	

VT104 G8 NG	O-Ring for Gapping Port Plug	POS. 3100 a
PART #	23650	
CUSTOMER REFERENCE #		
MATERIAL	FKM	
SPECS	--	
NOTES	--	


VT104 G8 NG	Gear Wheel Collar Driven Shaft	POS. 2176
PART #	22420	
CUSTOMER REFERENCE #		
MATERIAL	--	
SPECS	SS, 304	
NOTES	--	


VT104 G8 NG	Hex Bolt for Driven Shaft	POS. 2177
PART #	22335	
CUSTOMER REFERENCE #		
MATERIAL	Steel 12.9	
SPECS	ISO4017 - M16 x 50mm	
NOTES	--	

VT104 G8 NG	Press Ring Gear Wheel Driven Shaft	POS. 2178
PART #	22436	
CUSTOMER REFERENCE #		
MATERIAL	304	
SPECS	--	
NOTES	--	


VT104 G8 NG	Gear Wheel Drive Shaft	POS. 2183
PART #	22337	
CUSTOMER REFERENCE #		
MATERIAL	AISI 5115, hardened	
SPECS	58teeth, w=20mm, module 1,5	
NOTES	--	

VT104 G8 NG	Gear Wheel Driven Shaft	POS. 2184
PART #	22338	
CUSTOMER REFERENCE #		
MATERIAL	AISI 5115, hardened	
SPECS	49 teeth, b:20mm, module 1,5	
NOTES	--	


VT104 G8 NG	Hex Socket Screw for Gear Synchronization Lock Ring	POS. 2186
PART #	22332	
CUSTOMER REFERENCE #		
MATERIAL	Steel 12.9	
SPECS	ISO4762 - M6 x 25mm	
NOTES	--	


VT104 G8 NG	Dowel Pin for Gear Housing	POS. 2256
PART #	18764	
CUSTOMER REFERENCE #		
MATERIAL	303	
SPECS	DIN7 - 8m6 x 20mm	
NOTES	--	


VT104 G8 NG	Lock Washer for Bearing Cover Screw	POS. 2326
PART #	19081	
CUSTOMER REFERENCE #		
MATERIAL	--	
SPECS	--	
NOTES	--	


VT104 G8 NG	Gear Synchronization Lock Ring	POS. 2515
PART #	22027	
CUSTOMER REFERENCE #		
MATERIAL	304	
SPECS	--	
NOTES	--	


4.5 Drive Train


VT104 G8 NG	SIT Pump Hub 42/55	POS. 2247
PART #	21702	
CUSTOMER REFERENCE #		
MATERIAL	Aluminium	
SPECS	SIT, BS:28mm	
NOTES	--	


VT104 G8 NG	SIT Motor Hub 42/55 NEMA 21X	POS. 2248
PART #	21704	
CUSTOMER REFERENCE #		
MATERIAL	Aluminium	
SPECS	BS:1-3/8"	
NOTES	--	

VT104 G8 NG	SIT Motor Hub 42/55 NEMA 25X	POS. 2248
PART #	21705	
CUSTOMER REFERENCE #		
MATERIAL	Aluminium	
SPECS	SIT, BS:1-5/8"	
NOTES	--	

VT104 G8 NG	SIT Motor Hub 42/55 NEMA 28	POS. 2248
PART #	21706	
CUSTOMER REFERENCE #		
MATERIAL	Aluminium	
SPECS	SIT, BS:1-7/8"	
NOTES	--	

VT104 G8 NG	SIT Motor Hub 42/55 NEMA 32X	POS. 2248
PART #	21707	
CUSTOMER REFERENCE #		
MATERIAL	Aluminium	
SPECS	SIT, BS:2-1/8"	
NOTES	--	

VT104 G8 NG	SIT Motor Hub 42/55 NEMA 36X	POS. 2248
PART #	22196	
CUSTOMER REFERENCE #		
MATERIAL	Aluminium	
SPECS	SIT, BS:2-3/8"	
NOTES	--	

VT104 G8 NG	SIT Coupling Spider 42/55 Red	POS. 2249
PART #	7115	
CUSTOMER REFERENCE #		
MATERIAL	PU	
SPECS	SIT, 98 42/55 - Red	
NOTES	--	

VT104 G8 NG	R+W Servomax EKL-300 Claw with 17mm Bore	POS. 2247
PART #	23178	
CUSTOMER REFERENCE #		
MATERIAL	STO	
SPECS	R+W, SD: 28mm	
NOTES	--	

VT104 G8 NG	R+W Servomax ES2-150F Torque Limiter Claw	POS. 2248
PART #	23241	
CUSTOMER REFERENCE #		
MATERIAL	Aluminium	
SPECS	R+W, SD:1-3/8"	
NOTES	--	


VT104 G8 NG	R+W Servomax EKL-300 Claw with 17mm Bore	POS. 2248
PART #	23237	
CUSTOMER REFERENCE #		
MATERIAL	Aluminium	
SPECS	R+W, SD:1-5/8"	
NOTES	--	


VT104 G8 NG	R+W Servomax ES2-300F Torque Limiter Claw	POS. 2248
PART #	23236	
CUSTOMER REFERENCE #		
MATERIAL	Aluminium	
SPECS	R+W, SD:1-7/8"	
NOTES	--	


VT104 G8 NG	R+W Servomax ES2-300F Torque Limiter Claw	POS. 2248
PART #	23176	
CUSTOMER REFERENCE #		
MATERIAL	Aluminium	
SPECS	R+W, SD:2-1/8"	
NOTES	--	


VT104 G8 NG	R+W Servomax EK-150 Spider	POS. 2249
PART #	23243	
CUSTOMER REFERENCE #		
MATERIAL	TPU	
SPECS	R+W	
NOTES	--	


VT104 G8 NG	W22 Severe Duty Motor	POS. 3003
PART #	various	
CUSTOMER REFERENCE #		
MATERIAL	variable	
SPECS	variable	
NOTES	--	


VT104 G8 NG	NEMA Lantern S2 N180-N250 R+W	POS. 3000
PART #	21541	
CUSTOMER REFERENCE #		
MATERIAL	304	
SPECS	180-250 Frame	
NOTES	--	


VT104 G8 NG	NEMA Lantern S2 N280 R+W	POS. 3000
PART #	21542	
CUSTOMER REFERENCE #		
MATERIAL	304	
SPECS	280 Frame	
NOTES	--	

VT104 G8 NG	NEMA Lantern S2 N320 R+W	POS. 3000
PART #	21666	
CUSTOMER REFERENCE #		
MATERIAL	304	
SPECS	320 Frame	
NOTES	--	

VT104 G8 NG	NEMA Lantern S2 N360 R+W	POS. 3000
PART #	22203	
CUSTOMER REFERENCE #		
MATERIAL	304	
SPECS	360 Frame	
NOTES	--	


VT104 G8 NG	Lantern Protection Shield VT CE	POS. 3001
PART #	21937	
CUSTOMER REFERENCE #		
MATERIAL	304	
SPECS	--	
NOTES	--	


VT104 G8 NG	Cap Nut for Protection Shield Lantern	POS. 3002
PART #	21933	
CUSTOMER REFERENCE #		
MATERIAL	316	
SPECS	3mm	
NOTES	--	


VT104 G8 NG	Dowel Pin for Gear Housing	POS. 2516
PART #	18764	
CUSTOMER REFERENCE #		
MATERIAL	303	
SPECS	DIN7 - 8m6 x 20mm	
NOTES	--	

VT104 G8 NG	Hex Head Screw 0.5-13x2.25in	POS. 2522
PART #	20329	
CUSTOMER REFERENCE #		
MATERIAL	316	
SPECS	1/2"	
NOTES	--	

VT104 G8 NG	Hex Head Screw 0.625-11x2in	POS. 2522
PART #	17254	
CUSTOMER REFERENCE #		
MATERIAL	316	
SPECS	5/8"	
NOTES	--	

VT104 G8 NG	Washer 0.5in SS	POS. 2523
PART #	20963	
CUSTOMER REFERENCE #		
MATERIAL	304	
SPECS	1/2"	
NOTES	--	

VT104 G8 NG	Washer 0.625in	POS. 2523
PART #	18960	
CUSTOMER REFERENCE #		
MATERIAL	316	
SPECS	5/8"	
NOTES	--	

VT104 G8 NG	Socket Head Cap Screw for Lantern Mount	POS. 2525
PART #	21938	
CUSTOMER REFERENCE #		
MATERIAL	SS	
SPECS	16mm	
NOTES	--	