


# SPARE PARTS

ViscoTwin

# VT130

G10, V1



**PROCESSTEC**  
GET TOMORROW'S TECHNOLOGY TODAY

[processtec.com](http://processtec.com)  
[info@processtec.com](mailto:info@processtec.com)

9938 W Legacy Ave  
Visalia, CA 93291  
Phone +1 (559) 429 - 4227  
Fax +1 (559) 429 - 4228

**1. OVERVIEW DRAWING . . . . . 3**

**2. EXPLOSION DRAWING . . . . . 4**

**3. TORQUE VALUES. . . . . 5**

**4. SPARE PARTS. . . . . 6**


**4.1 Pump Housing. . . . . 6**

**4.2 Seal Housing . . . . . 14**


**4.3 Bearing Housing . . . . . 20**

**4.4 Gear Housing. . . . . 31**

**1. OVERVIEW DRAWING**




**2. EXPLOSION DRAWING**






**3. TORQUE VALUES**





**4. SPARE PARTS**


**4.1 Pump Housing**


<b>VT130 G10</b>	<b>Spindle Bolt</b>	<b>POS. 2180</b>
<b>PART #</b>	<b>23113</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	2205	
<b>SPECS</b>	Hex Style	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>O-Ring for Pump Face</b>	<b>POS. 2192</b>
<b>PART #</b>	<b>12516</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FKM	
<b>SPECS</b>	186.5 x 4mm	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>O-Ring for Pump Face</b>	<b>POS. 2192</b>
<b>PART #</b>	<b>12520</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	EPDM	
<b>SPECS</b>	186.5 x 4mm	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>O-Ring for Spindle Bolt</b>	<b>POS. 2194</b>
<b>PART #</b>	<b>12504</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FKM	
<b>SPECS</b>	42 x 3mm	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>O-Ring for Spindle Bolt</b>	<b>POS. 2194</b>
<b>PART #</b>	<b>12510</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	EPDM	
<b>SPECS</b>	42 x 3mm	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Dowel Pin for Pump Face &amp; Housing</b>	<b>POS. 2195, 2196</b>
<b>PART #</b>	<b>12616</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	303	
<b>SPECS</b>	DIN7 - 8 h 8 x 20mm, undersize	
<b>NOTES</b>	--	





<b>VT130 G10</b>	<b>Spindle Pair VT130.33</b>	<b>POS. 2202</b>
<b>PART #</b>	<b>21777</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	316L	
<b>SPECS</b>	33mm, hardened	
<b>NOTES</b>		

<b>VT130 G10</b>	<b>Spindle Pair VT130.44</b>	<b>POS. 2202</b>
<b>PART #</b>	<b>14260</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	316L	
<b>SPECS</b>	44mm, hardened	
<b>NOTES</b>		


<b>VT130 G10</b>	<b>Spindle Pair VT130.65</b>	<b>POS. 2202</b>
<b>PART #</b>	<b>23618</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	316L	
<b>SPECS</b>	65mm, hardened	
<b>NOTES</b>		

<b>VT130 G10</b>	<b>Hex Head Cap Screw for Pump Face</b>	<b>POS. 2527</b>
<b>PART #</b>	<b>24884</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	A2-70	
<b>SPECS</b>	ISO4017 - M20 x 50mm, Wrench Size 30mm	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Pump Face OD4"</b>	<b>POS. 2528</b>
<b>PART #</b>	<b>23531</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	Fine Cast 316L	
<b>SPECS</b>	PF:OD4", Tri-Clamp	
<b>NOTES</b>	With Gauge Port	


<b>VT130 G10</b>	<b>Pump Face OD6"</b>	<b>POS. 2528</b>
<b>PART #</b>	<b>23679</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	Fine Cast 316L	
<b>SPECS</b>	PF:OD6", Tri-Clamp	
<b>NOTES</b>	With Gauge Port	

<b>VT130 G10</b>	<b>Pump Housing OD4"</b>	<b>POS. 2530</b>
<b>PART #</b>	<b>23832</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	Fine Cast 316L	
<b>SPECS</b>	PCP:OD4", Tri-Clamp	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Aseptoflex Plug for Sensor Port</b>	<b>POS. 3050</b>
<b>PART #</b>	<b>22252</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	316L	
<b>SPECS</b>	--	
<b>NOTES</b>	--	




<b>VT130 G10</b>	<b>Gasket for Aseptoflex Plug (green)</b>	<b>POS. 3050 a</b>
<b>PART #</b>	<b>22948</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FKM	
<b>SPECS</b>	ID: 29.7mm x OD: 35.7mm	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>O-Ring for Aseptoflex Plug</b>	<b>POS. 3050 b</b>
<b>PART #</b>	<b>22253</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FKM	
<b>SPECS</b>	O-ring: 24 x 2mm (FKM), in contact with the medium	
<b>NOTES</b>	--	

**4.2 Seal Housing**

<b>VT130 G10</b>	<b>O-Ring Seal Housing</b>	<b>POS. 1088</b>
<b>PART #</b>	<b>12515</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FKM	
<b>SPECS</b>	180 x 6mm	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>O-Ring Seal Housing</b>	<b>POS. 1088</b>
<b>PART #</b>	<b>12519</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	EPDM	
<b>SPECS</b>	180 x 6mm	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Elastomer Kit DAMS</b>	<b>POS. 2535 EK</b>
<b>PART #</b>	<b>23770</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	EPDM/FKM	
<b>SPECS</b>	HUHNSEAL, SD: 55mm	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Mechanical Seal DAMS</b>	<b>POS. 2535</b>
<b>PART #</b>	<b>23485</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	316Ti/TuCKE, FKM	
<b>SPECS</b>	HUHNSEAL, SD: 55mm	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Mechanical Seal DAMS</b>	<b>POS. 2535</b>
<b>PART #</b>	<b>23674</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	316Ti/SiC, FKM	
<b>SPECS</b>	HUHNSEAL, SD: 55mm	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Mechanical Seal DAMS</b>	<b>POS. 2535</b>
<b>PART #</b>	<b>23837</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	316Ti/SiC, EPDM	
<b>SPECS</b>	HUHNSEAL, SD: 55mm	
<b>NOTES</b>	--	




<b>VT130 G10</b>	<b>Mechanical Seal DAMS</b>	<b>POS. 2535</b>
<b>PART #</b>	<b>23834</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	316Ti/TuCKE, EPDM	
<b>SPECS</b>	HUHNSEAL, SD: 55mm	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Male Connector Straight G3/8 - T1/4</b>	<b>POS. 1863</b>
<b>PART #</b>	<b>21690</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	316	
<b>SPECS</b>	G-3/8" x 1/4" Tubing	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Male Connector Straight G3/8 - T3/8</b>	<b>POS. 1864</b>
<b>PART #</b>	<b>21689</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	316	
<b>SPECS</b>	G-3/8" x 3/8" Tubing	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Seal Housing</b>	<b>POS. 2188</b>
<b>PART #</b>	<b>23532</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	316L	
<b>SPECS</b>	3A	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Hex Socket Screw for Seal Housing</b>	<b>POS. 2259</b>
<b>PART #</b>	<b>19366</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	A2-70	
<b>SPECS</b>	DIN912 - M6 x 20mm	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Safety Guard</b>	<b>POS. 2546</b>
<b>PART #</b>	<b>23534</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	SS	
<b>SPECS</b>	--	
<b>NOTES</b>	--	

**4.3 Bearing Housing**

<b>VT130 G10</b>	<b>Key for Coupling</b>	<b>POS. 1183</b>
<b>PART #</b>	<b>12619</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	304	
<b>SPECS</b>	DIN6885 - 10 x 8 x 45mm	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Shaft Sealing Ring Bearing Housing</b>	<b>POS. 2322</b>
<b>PART #</b>	<b>21863</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FKM	
<b>SPECS</b>	SD: 55mm	
<b>NOTES</b>	--	



<b>VT130 G10</b>	<b>Dowel Pin for Seal Housing</b>	<b>POS. 2536</b>
<b>PART #</b>	<b>21903</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	303	
<b>SPECS</b>	DIN7 - 8 h 8 x 24mm, undersize	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Drive Shaft</b>	<b>POS. 1000</b>
<b>PART #</b>	<b>21980</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	316	
<b>SPECS</b>	Replaceable sleeves	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Shaft Protection Sleeve Gear Housing</b>	<b>POS. 2675</b>
<b>PART #</b>	<b>23721</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	1.4301/1.4305	
<b>SPECS</b>	Hard Inox S treated	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Hex Head Cap Screw for Pump Housing</b>	<b>POS. 1016</b>
<b>PART #</b>	<b>24883</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	A2-70	
<b>SPECS</b>	ISO4017 - M20 x 90mm	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Hex Head Cap Screw for Gear Housing</b>	<b>POS. 2258</b>
<b>PART #</b>	<b>24885</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	A2-70	
<b>SPECS</b>	ISO4017 - M20 x 50mm, Wrench Size 30mm	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>O-Ring for Shaft Protection Sleeve Gear Housing</b>	<b>POS. 2676</b>
<b>PART #</b>	<b>23660</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FKM	
<b>SPECS</b>	DIN3771 - 31,75 x 1,78mm	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Shaft Protection Sleeve Bearing Housing</b>	<b>POS. 2677</b>
<b>PART #</b>	<b>23365</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	SS	
<b>SPECS</b>	Hard Inox S treated	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>O-Ring for Shaft Protection Sleeve Bearing Housing</b>	<b>POS. 2678</b>
<b>PART #</b>	<b>23367</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FKM	
<b>SPECS</b>	DIN3771 - 56,87 x 1,78mm	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Driven Shaft</b>	<b>POS. 2171</b>
<b>PART #</b>	<b>22615</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	316	
<b>SPECS</b>	Replaceable sleeve	
<b>NOTES</b>	Replaceable sleeve at oil sealing ring positions	

<b>VT130 G10</b>	<b>Bearing Housing</b>	<b>POS. 1001</b>
<b>PART #</b>	<b>23830</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	Fine Cast 1.4308	
<b>SPECS</b>	--	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Eyebolt</b>	<b>POS. 1001 a</b>
<b>PART #</b>	<b>23579</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	304	
<b>SPECS</b>	DIN580 - M10	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Needle Roller Bearing</b>	<b>POS. 1003</b>
<b>PART #</b>	<b>23502</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	--	
<b>SPECS</b>	--	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Lock Snap Ring</b>	<b>POS. 1009 a, b</b>
<b>PART #</b>	<b>23577</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	--	
<b>SPECS</b>	--	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Outer Spacer Ring for Ball Bearing</b>	<b>POS. 1121</b>
<b>PART #</b>	<b>18766</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	SS	
<b>SPECS</b>	outside	
<b>NOTES</b>	--	




<b>VT130 G10</b>	<b>Inner Spacer Ring for Ball Bearing</b>	<b>POS. 1530</b>
<b>PART #</b>	<b>18767</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	SS	
<b>SPECS</b>	inside	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Spacer Sleeve for Bearings</b>	<b>POS. 1529</b>
<b>PART #</b>	<b>18771</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	SS	
<b>SPECS</b>	--	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Angular Ball Bearing</b>	<b>POS. 2181</b>
<b>PART #</b>	<b>23131</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	--	
<b>SPECS</b>	SH:45mm	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Gear Wheel Key for Drive &amp; Driven Shaft</b>	<b>POS. 2179</b>
<b>PART #</b>	<b>22257</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	SS	
<b>SPECS</b>	DIN6885 - AS - 14 x 9 x 32mm	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Venting Valve</b>	<b>POS. 2232</b>
<b>PART #</b>	<b>23563</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	304	
<b>SPECS</b>	12mm	
<b>NOTES</b>	--	


**4.4 Gear Housing**


<b>VT130 G10</b>	<b>Shaft Sealing Ring Gear Housing</b>	<b>POS. 1010</b>
<b>PART #</b>	<b>21904</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FKM	
<b>SPECS</b>	SD:55mm	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Magnetic Screw Plug</b>	<b>POS. 2233</b>
<b>PART #</b>	<b>21767</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	Aluminium	
<b>SPECS</b>	3/4"	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Gasket for Magnetic Screw Plug</b>	<b>POS. 2233 a</b>
<b>PART #</b>	<b>23114</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FKM	
<b>SPECS</b>	Gasket for Magnetic Screw Plug	
<b>NOTES</b>	In set of 5 only	

<b>VT130 G10</b>	<b>Oil Level Sight Gauge</b>	<b>POS. 2360</b>
<b>PART #</b>	<b>21766</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	--	
<b>SPECS</b>	G3/4"	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Gasket for Oil Level Sight Gauge</b>	<b>POS. 2360 a</b>
<b>PART #</b>	<b>23665</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FKM	
<b>SPECS</b>	Gasket for Oil Level Sight Gauge	
<b>NOTES</b>	In set of 5 only	

<b>VT130 G10</b>	<b>O-Ring Large for Gear Housing</b>	<b>POS. 2513</b>
<b>PART #</b>	<b>23658</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FKM	
<b>SPECS</b>	DIN3771 - 278 x 4mm	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>O-Ring Small for Gear Housing</b>	<b>POS. 2514</b>
<b>PART #</b>	<b>21864</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FKM	
<b>SPECS</b>	DIN3771 - 25,5 x 2mm	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Gear Oil Bearing Housing VT</b>	<b>POS. 2170</b>
<b>PART #</b>	<b>21871</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	--	
<b>SPECS</b>	1 L, foodgrade	
<b>NOTES</b>	--	




<b>VT130 G10</b>	<b>Oil Sample Test Kit</b>	<b>POS. 2173</b>
<b>PART #</b>	<b>23580</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	--	
<b>SPECS</b>	--	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Hex Socket Screw for Bearing Cover</b>	<b>POS. 1008</b>
<b>PART #</b>	<b>19341</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	Steel 10.9	
<b>SPECS</b>	DIN6912 - M8x25mm, B=22mm, Low profile socket head	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Bearing Cover</b>	<b>POS. 1227</b>
<b>PART #</b>	<b>18772</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	C45	
<b>SPECS</b>	--	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Gear Wheel Nut for Drive Shaft</b>	<b>POS. 1526</b>
<b>PART #</b>	<b>18763</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	SS	
<b>SPECS</b>	--	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Gear Housing</b>	<b>POS. 2172</b>
<b>PART #</b>	<b>23572</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FC304	
<b>SPECS</b>	Right, Housing with gapping port	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Gear Housing</b>	<b>POS. 2172</b>
<b>PART #</b>	<b>23573</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FC304	
<b>SPECS</b>	Left, Housing with gapping port	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Gapping Port Plug</b>	<b>POS. 3100</b>
<b>PART #</b>	<b>23508</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	304	
<b>SPECS</b>	50mm	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>O-Ring for Gapping Port Plug</b>	<b>POS. 3100 a</b>
<b>PART #</b>	<b>23650</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	FKM	
<b>SPECS</b>	--	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Gear Wheel Collar Driven Shaft</b>	<b>POS. 2176</b>
<b>PART #</b>	<b>22611</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	--	
<b>SPECS</b>	--	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Hex Bolt for Driven Shaft</b>	<b>POS. 2177</b>
<b>PART #</b>	<b>22335</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	Steel 12.9	
<b>SPECS</b>	ISO4017 - M16 x 50mm	
<b>NOTES</b>	--	


<b>VT130 G10</b>	<b>Press Ring Gear Wheel Driven Shaft</b>	<b>POS. 2178</b>
<b>PART #</b>	<b>22612</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	304	
<b>SPECS</b>	--	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Gear Wheel Drive Shaft</b>	<b>POS. 2183</b>
<b>PART #</b>	<b>22339</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	AISI 5115, hardened	
<b>SPECS</b>	58teeth, w=20mm, module 1,5	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Gear Wheel Driven Shaft</b>	<b>POS. 2184</b>
<b>PART #</b>	<b>22340</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	AISI 5115, hardened	
<b>SPECS</b>	58teeth, b=20mm, module 1,5	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Hex Socket Screw for Gear Synchronization Lock Ring</b>	<b>POS. 2186</b>
<b>PART #</b>	<b>22333</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	Steel 12.9	
<b>SPECS</b>	ISO4762 - M6 x 30mm	
<b>NOTES</b>	--	



<b>VT130 G10</b>	<b>Dowel Pin for Gear Housing</b>	<b>POS. 2256</b>
<b>PART #</b>	<b>18764</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	303	
<b>SPECS</b>	DIN7 - 8m6 x 20mm	
<b>NOTES</b>	--	

<b>VT130 G10</b>	<b>Gear Synchronization Lock Ring</b>	<b>POS. 2515</b>
<b>PART #</b>	<b>22074</b>	
<b>CUSTOMER REFERENCE #</b>		
<b>MATERIAL</b>	304	
<b>SPECS</b>	--	
<b>NOTES</b>	--	